


## CHINA CHONGQING ZHENGYI MACHINERY MANUFACTURING Co. LTD



## DIFFERENTIAL

# About Us

China Chongqing Zhengyi Machinery Manufacturing Co., LTD., founded in 2006, has been focusing on the production of automotive transmission systems and chassis systems for nearly two decades. In low speed electric vehicle axle assembly, transmission assembly, differential assembly, Power Take Off assembly, steering rack assembly and steering knuckle assembly and their components, the company is mainly engaged in research and development, production and customization services.

After long-term development, the company has set up four overseas branches, and provides services to more than 30 countries in the world, such as Germany, the United Kingdom, Korea, Thailand, the United Arab Emirates, Canada, the United States. The company has the industry's top product laboratory, gathered more than 30 professional and technical personnel engaged in the research and development of new products, verification, and has perfect detection means and strict quality assurance system. The company's products have been widely used in various types of sightseeing cars, cars, pickups, light trucks, modified vehicles and agricultural equipment, with high quality and efficient flexible production mode to maximize the needs of customers.

## || Differential assembly



TOYOTA HILUX



TOYOTA LC90



TD01010

## || Differential



91909031



TD10009



TD01007



TD10002

## || Differential housing



TR0130001-01



TD01033




TD01021

## || Differential repair kit



TOYOTA HILUX



TOYOTA LC90



TR0130001

# Basin angle gear



**TOYOTA 9/41 41201-29536 5.08KG**

主动 pinion gear	总长 L	216	从动 crown wheel	内径 I.D	Φ126
	花键 spline teeth	27T		外径 O.D	Φ205
	螺纹 thread	M20*1.5		厚度 thickness	32.5
	轴承位 Brg	Φ35		背孔 back hole	10-M11*1.0



**MITSUBISHI PS100 6/37 MB005252 12.52KG**

主动 pinion gear	总长 L	244.5	从动 crown wheel	内径 I.D	Φ175
	花键 spline teeth	14T		外径 O.D	Φ291
	螺纹 thread	M26*1.5		厚度 thickness	45.27
	轴承位 Brg	Φ44.45		背孔 back hole	12-M14*1.5



**ISUZU 7/43 897320103-0 10.4KG**

主动 pinion gear	总长 L	225	从动 crown wheel	内径 I.D	Φ200
	花键 spline teeth	18T		外径 O.D	Φ292
	螺纹 thread	M24*2		厚度 thickness	40
	轴承位 Brg	Φ25 Φ45		背孔 back hole	12- M12*1.25



**130HT 6/41 41221-37310 16.76KG**

主动 pinion gear	总长 L	243	从动 crown wheel	内径 I.D	Φ191
	花键 spline teeth	25T		外径 O.D	Φ341
	螺纹 thread	M30*1.5		厚度 thickness	46.6
	轴承位 Brg	Φ30 Φ55		背孔 back hole	12-Φ16.5

# Thank you for watching